



T&S BRASS AND BRONZE WORKS, INC.

2 SADDLEBACK COVE / P.O. BOX 1088 / TRAVELERS REST, SC 29690

PHONE 800-476-4103

FAX 864-834-3518



REG. #A2601
ISO #9002

Model No.

PG-0515

Item No.:

Job Name:

Architect/Engineer Approval:

Notes:

3" c/c MIXING FAUCET w/
SPRING CHECK SPINDLES
TO PREVENT CROSS FLOW
OF CONTAMINATED WATER
INTO POTABLE WATER
SYSTEM

LIGHTWEIGHT ALUMINUM
SPRAY VALVE w/ HOLD
DOWN CLIP

SINK TOP

3/8" NPT
FEMALE INLETS

DELRIN SPACER HOLDS
ESCUTCHEON TIGHTLY
TO MOUNTING SURFACE

3"
[76mm]

7 FOOT VINYL HOSE

3"
[76mm]

1 1/2"
[38mm]

3/8"Ø CUTOUT FOR SCREW

(2) 1 9/16"Ø CUTOUTS FOR
FAUCET BODY

Product Description:

B-0512 STYLE CONCEALED MIXING FCT ON 3" c/c,
WITH CROSSFLOW CONTROL SPRING CHECK SPINDLES,
AND 7 FOOT VINYL HOSE & ALUMINUM SPRAY VALVE

Drawn:

WJS

Checked

JRM

Scale:

1 : 4

Approved

JHB

Date:

02/03/06